



MECHANICAL FRONT WHEEL DRIVE TIRES













An advertisement for Firestone AD2 tires. The background features a stack of four tires with varying tread patterns. A red and black diagonal graphic is on the left. A red banner at the top right contains the text "ADVANCED DEFLECTION DESIGN (AD²) TECHNOLOGY". The AD2 logo, which includes a stylized leaf and the text "AD2™", is prominently displayed in the bottom left, with "ADVANCED DEFLECTION DESIGN" written below it. The text "FEATURES" and "BENEFITS" are centered on the right side of the slide.


ADVANCED DEFLECTION DESIGN (AD²) TECHNOLOGY

FEATURES

IF tires feature up to 20% more load at the same inflation pressure

BENEFITS

Increased load-carrying capacity
Reduced inflation pressure




ADVANCED DEFLECTION DESIGN (AD²) TECHNOLOGY

FEATURES

- VF tires feature up to 40% more Load at the same inflation pressure

BENEFITS

- Minimized soil compaction



RADIAL DEEP TREAD 23° – R-1W

FEATURES

- AD² Technology
- 23° long bar tread design
- 25% deeper tread in the center

BENEFITS

- Minimized soil compaction
- Even wear
- Smooth ride
- Extended tire life



RADIAL DEEP TREAD 23° – R-1W

AD² TIRE SIZES

- IF480/80R46
- IF520/85R46
- VF480/80R50
- VF480/95R50

RADIAL TIRE SIZES

- 650/85R38
- 480/80R42
- 480/80R46
- 520/85R46
- 480/80R50



RADIAL ALL TRACTION DT – R-1W

FEATURES

- AD² Technology
- R-1W tread depth
- 25% deeper tread in the center
- Curved multi-angle tread design

BENEFITS

- Minimized soil compaction
- Traction in a variety of soil conditions
- Improved road wear and ride



RADIAL ALL TRACTION DT - R-1W

AD² TIRE SIZES

- IF420/90R30
- IF600/70R30
- IF420/85R34
- IF710/70R42

RADIAL TIRE SIZES

- 480/70R30
- 380/80R38
- 710/70R38
- 710/70R42



RADIAL ALL TRACTION FWD - R-1

FEATURES

Designed for MFWD Tractors
Multi-angle bar design

BENEFITS

- Improved traction
- Improved wear
- Smooth ride
- Less vibration



RADIAL ALL TRACTION FWD – R-1

RADIAL TIRE SIZES

380/85R28
380/85R30
420/90R30



RADIAL ALL TRACTION 23° – R-1

FEATURES

Open-center tread
Radial construction
23° long bar tread design

BENEFITS

Improved cleaning
More bar gripping the surface
Increased traction
Fuel and time savings



RADIAL ALL TRACTION 23° - R-1

RADIAL TIRE SIZES

- 480/80R38
- 480/80R42
- 520/85R42
- 420/80R46



SUPER ALL TRACTION 23° - R-1

FEATURES

- 23° long bar tread design
- Open-center tread design
- Flexible sidewall and tough tread rubber

BENEFITS

- Improved cleaning
- Improved traction
- Long wear



SUPER ALL TRACTION 23° - R-1

BIAS TIRES SIZES

- 18.4-34
- 18.4-38
- 20.8-38



SUPER ALL TRACTION II 23° - R-1

FEATURES

- 23° long bar tread design
- Increased number of lugs

BENEFITS

- Increased traction
- Improved wear and ride



SUPER ALL TRACTION II 23° - R-1

BIAS TIRE SIZES

14.9-24

18.4-30

18.4-34

18.4-38

CONTACT YOUR CERTIFIED FIRESTONE AG TIRE DEALER



Firestone Ag Field Engineering



1-800-847-3364



FirestoneAg.com

